Birmfilter.com

Calcite is a crushed and screened white marble media which can inexpensively be used to neutralize acidic or low pH waters to a neutral, less corrosive effluent.

Calcite

Calcite is a naturally occurring calcium carbonate media. One of the advantages of Calcite is its selflimiting property. When properly applied, it corrects pH only enough to reach a non-corrosive equilibrium. It does not overcorrect under normal conditions. Upon contact with Calcite, acidic waters slowly dissolve the calcium carbonate to raise the pH which reduces the potential leaching of copper, lead and other metals typical plumbing found in systems. Periodic backwashing will prevent packing, reclassify the bed and maintain high service rates. Depending on pH, water chemistry and service flow, the Calcite bed will have to be periodically replenished as the Calcite is depleted.

As the Calcite's calcium carbonate neutralizes the water, it will increase hardness and a softener may become necessary after the neutralizing filter.

Calcite can be effectively combined with Clack Corosex to combine the high flow neutralization properties of Corosex, along with the slower reacting low flow properties of Calcite, increasing the ability to correct low pH.


ADVANTAGES

- Naturally occurring material
- Low uniformity coefficient for maximum contact for controlled correction
- Slower reacting for controlled correction
- Inexpensive
- PHYSICAL PROPERTIES
- Color: Near white
- Bulk Density: 90 lbs./cu.ft.
- Mesh Size: 16 x 40
- Specific Gravity: 2.7
- Effective Size: 0.4 mm
- Uniformity Coefficient: 1.5 Hardness: 3.0 (Mohs scale)
- Composition:
 - o CaCO3, 95% min.
 - o MgCO3, 3.0% max.

CONDITIONS FOR OPERATION

- A gravel support bed is recommended
- Water pH range: 5.0-7.0
- Bed depth: 24-30 in.
- Freeboard: 50% of bed depth
- Backwash rate: 8-12 gpm/sq.ft.
- Backwash Bed Expansion: 35% of bed depth
- Service flow rate: 3-6 gpm/sq.ft. but may be modified to adapt to local conditions

Birmfilter.com



(Gallons per Minute/Square Foot of Bed Area)